

FR_705129

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Power supply

Power Supply (built-in)

Name and address of the applicant

PULS GmbH Elektrastr. 6 81925 München - Germany

Name and address of the manufacturer

PULS GmbH Elektrastr. 6 81925 München - Germany

Name and address of the factory

Note: When more than one factory, please report on page 2

□ Additional Information on page 2

Ratings and principal characteristics

See Annex

Trademark (if any)

Model / Type Ref.

PULS

Customer's Testing Facility (CTF) Stage used

outlines or rooming reality (or r) orage about

PIC240.240C, PIC240.241D, PIC240.361D

Additional information (if necessary may also be reported on page 2)

☐ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2018

As shown in the Test Report Ref. No. which forms part of this Certificate

19TH0137-62368_0

This CB Test Certificate is issued by the National Certification Body



LCIE – Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc – BP8 FR 92 266 Fontenay aux Roses Cedex www.lcie.fr

Date: 04/03/2019



Signature: Gifes LEMONNIER
Certification Officer



FR_705129

ANNEX

Name and address of the factories:

PULS ELECTRONICS (SUZHOU) CO. LTD. No 1 Rui En Lane Xingpu Rd, Sip Suzhou, Jiangsu, 215021 – CHINA

PULS INVESTICNI SRO

Prazska 5639 430 01 Chomutov - CZECH REPUBLIC

References, ratings and main characteristics:

PIC240.241C

Input: 200-240 Vac; 2,4 A; 50-60 Hz

Output:

24-28 Vdc; 10,0-8,6 A (below +55 °C) 24-28 Vdc; 6,2-5,4 A (at +70 °C)

Derate linearly between +55 °C and +70 °C

PIC240.241D

Input: 100-240 Vac; 2,7-1,2 A; 50-60 Hz

Output:

24-28 Vdc; 10,0-8,6 A (below +55 °C) 24-28 Vdc; 6,2-5,4 A (at +70 °C) Derate linearly between +55 °C and +70 °C

PIC240.361D

Input: 100-240 Vac; 2,7-1,2 A; 50-60 Hz

Output:

36 Vdc; 6,7 A (below +55 °C) 36 Vdc; 4,2 A (at +70 °C)

Derate linearly between +55 °C and +70 °C

For more information relating to the ratings and the main characteristics please refer to the CB Test Report: 19TH0137-62368_0



LCIE - Laboratoire Central des Industries Electriques 33, avenue du Général Leclerc - BP8 FR 92 266 Fontenay aux Roses Cedex www.lcie.fr

Date: 04/03/2019



Signature: Gittes LEMONNIER Certification Officer